

## DH-HAC-HF3120R

### 1.3Megapixel 720P HDCVI Box Camera



#### Features

- 1/3" 1.3Megapixel CMOS
- 25/30fps@720P
- High speed, long distance real-time transmission
- HD and SD switchable
- OSD Menu, control over coaxial cable
- DWDR, Day/Night(ICR), AWB, AGC, BLC, 2DNR
- Audio, Alarm
- AC24V/DC12V


# DH-HAC-HF3120R

## Technical Specifications

Model	DH-HAC-HF3120RP	DH-HAC-HF3120RN
<b>Camera</b>		
Image Sensor	1/3" 1.3Megapixel CMOS	
Effective Pixels	1280(H)×960(V)	
Electronic Shutter	1/50s~1/100,000s	1/60s~1/100,000s
Video Frame Rate	25fps@720P	30fps@720P
Synchronization	Internal	
Mini. Illumination	Color: 0.05Lux@F1.4 (AGC ON); B/W: 0.005Lux@F1.4 (AGC ON)	
Video Output	1-channel BNC HDCVI high definition video output/ CVBS standard definition video output (Can switch)	
<b>Camera Features</b>		
Day/Night	Auto(ICR) / Color / B/W	
Backlight Compensation	DWDR	
Noise Reduction	2D	
OSD Menu	Support	
<b>Lens</b>		
Focal Length	N/A	
Mount Type	C/CS	
<b>Auxiliary Interface</b>		
Alarm	1 channel in/out	
Audio	1 channel in	
<b>General</b>		
Power Supply	AC24V/DC12V±25%	
Power Consumption	Max 1W	
Working Environment	-30°C~+60°C / Less than 95%RH (no condensation)	
Transmission Distance	Over 800m via 75-3 coaxial cable	
Dimensions(W×D×H)	120mm×66mm×63mm	
Weight	0.23kg	
Material	Metal	

# DH-HAC-HF3120R

## Dimensions (mm)



## Accessories (optional)

				
PFB110W	PFB121W	PLZ1030-D	PLZ1130-D	PFH610N/V

---

### Dahua Technology Co., Ltd.

1199 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: [overseas@dahuatech.com](mailto:overseas@dahuatech.com)

[www.dahuatech.com](http://www.dahuatech.com)

\*Design and specifications are subject to change without notice.

© 2014 Dahua Technology Co., Ltd.